

06



rok założenia 1934
zegar

TECHNO 16 line TECHNO 12 line railings



POINT
BENDING



ARC
BENDING



ANGLE
CONNECT



inox



antico



satin

TECHNO 16 and TECHNO 12 lines

brass, stainless steel



POINT
BENDING

Techno 12 and **16** Rods can be point bent with a radius of $r = 10$ cm



ANGLE
CONNECT

We have adjustable angle and fixed joints 90° and 135° for **Techno 16** and **12** rods and we can make any angle on request



ARC BENDING

Techno 12 and **16** Rods can be arc bent horizontally or vertically with a radius of min. 40 cm



inox



antico




satin

Modern, simple shape curtain rods made of brass, stainless steel. These curtain rods are suitable for small and medium-sized windows. Available as: **brass - antico, satin, stainless steel - inox matt**. Rods used: $\varnothing 12$ and 16 mm. Curtain rods are single and double, and they can be mounted both to the wall and to the ceiling.



Name		No. - Type		
	SINGLE BRACKET Ø 16 mm Techno 16			
	rod Ø 16 mm	26102 - antico	(brass)	
	stand 50 mm	36102 - satın	(brass)	
	L = 40, 80 mm	86102 - inox	(stainless steel)	
	DOUBLE BRACKET Ø 16/16 mm Techno 16			
	rod Ø 16/16 mm	26124 - antico	(brass)	
	stand 50 mm	36124 - satın	(brass)	
	L = 40, 80 mm	86124 - inox	(stainless steel)	
	S = 80 mm			
	INTERNAL BRACKET Ø 16 mm Techno 16			
	for rod Ø 16 mm	26067 - antico	(brass)	
	stand 36 mm	36067 - satın	(brass)	
		86067 - inox	(stainless steel)	
	STANDARD	END-PIECE CYLINDER Ø 16 mm Techno 16		
		for rod Ø 16 mm	26110 - antico	(brass)
		D = 23 mm	36110 - satın	(brass)
			86110 - inox	(stainless steel)
	END-PIECE TRAPEZE Ø 16 mm Techno 16			
	for rod Ø 16 mm	26136 - antico	(brass)	
	D = 45 mm	36136 - satın	(brass)	
		86136 - inox	(stainless steel)	
	END-PIECE TRAPEZE DECORATIVE Ø 16 mm Techno 16			
	for rod Ø 16 mm	26137 - antico	(brass)	
	D = 45 mm	36137 - satın	(brass)	
		86137 - inox	(stainless steel)	
	END-PIECE RADIATOR Ø 16 mm Techno 16			
	for rod Ø 16 mm	26138 - antico	(brass)	
	D = 45 mm	36138 - satın	(brass)	
		86138 - inox	(stainless steel)	
	END-PIECE SEMI-SPHERE Ø 16 mm Techno 16			
	for rod Ø 16 mm	26133 - antico	(brass)	
	D = 38 mm	36133 - satın	(brass)	
		86133 - inox	(stainless steel)	
	Semi-sphere diameter 40 mm			

L - distance of the first rod from the wall / ceiling, S - distance between rods




	Name	No. - Type	
<p>ON REQUEST</p> 	END-PIECE SEMI-SPHERE DECORATIVE <i>Crystallized Elements</i> Ø 16 mm*		
	for rod Ø 16 mm	21133 - antico	(brass)
	D = 32 mm	31133 - satin	(brass)
		81133 - inox	(stainless steel)
	Semi-sphere diameter 30 mm		
	END-PIECE SPHERE Ø 16 mm Techno 16		
	for rod Ø 16 mm	26132 - antico	(brass)
	D = 55 mm	36132 - satin	(brass)
		86132 - inox	(stainless steel)
	Sphere diameter 40 mm		
<p>ON REQUEST</p> 	END-PIECE SPHERE DECORATIVE <i>Crystallized Elements</i> Ø 16 mm*		
	for rod Ø 16 mm	21132 - antico	(brass)
	D = 40 mm	31132 - satin	(brass)
		81132 - inox	(stainless steel)
	Sphere diameter 30 mm		
	RING Techno 16		
	for rod Ø 16 mm	26511 - antico	(brass)
	Packed in 10 pcs.	36511 - satin	(brass)
		86511 - inox	(stainless steel)
	Ø 30/26 mm		
	SMALL BUCKLE FOR RING		
	Packed in 50 pcs.	51506 - white	
	plastic		
	For ring Techno 16		
	Hitch diameter Ø 5 mm		
	SMALL HOOK FOR WHEEL		
	Packed in 50 pcs.	51506/Z - white	
	plastic		
	For ring Techno 16		
	Hitch diameter Ø 5 mm		
	SNAIL HOOK		
	Packed in 50 pcs.	51508 - white	
	plastic		


* - Details on request. No refunds or exchanges.




	Name	No. - Type		
<p>ON REQUEST</p> 	ROD JOINT 90° FIXED Ø 16 mm*			
	rod Ø 16 mm	26546 - antico	(brass)	
		36546 - satin	(brass)	
		86546 - inox	(stainless steel)	
Different joint angle on request - price +50%.				
<p>ON REQUEST</p> 	ROD JOINT 135° FIXED Ø 16 mm*			
	rod Ø 16 mm	26547 - antico	(brass)	
		36547 - satin	(brass)	
		86547 - inox	(stainless steel)	
Different joint angle on request - price +50%.				
<p>ON REQUEST</p> 	ROD JOINT ADJUSTABLE Ø 16 mm*			
	rod Ø 16 mm	26546/N - antico	(brass)	
		36546/N - satin	(brass)	
		86546/N - inox	(stainless steel)	
	ROD JOINT Ø 16 mm			
	rod Ø 16 mm	50529 - plastic		
	ROD Ø 16 mm x 0,7 mm x 1,0 m			
	rod Ø 16 mm	20525 - antico	(brass)	
		30525 - satin	(brass)	
	L = 150, 175, 200, 250 cm	80525 - inox	(stainless steel)	
Maximum distance between handles is 150 cm. It is possible to strengthen the rod (price +20%).				
<p>ON REQUEST</p> 	ROD BENT Ø 16 mm x 0,7 mm x 1,0 m*			
	rod Ø 16 mm	20525 - antico	(brass)	
	Price is for rods. Min. bending radius - 40 cm. Bends are individually priced according to the provided template or H and C dimensions, if the arc is along the radius of the circle. Additional transport costs of bent rods.		30525 - satin	(brass)
			80525 - inox	(stainless steel)
<p>ON REQUEST</p> 	POINT BENDING*			
	rod Ø 16 mm			
	Additional transport costs of bent rods. Price of the bending service. Price of rod should be added.			
	Min. bending radius - 10 cm.			
It is possible to strengthen the rod (price +20%), which extends the spacing of the brackets by 40 cm.				

* - Details on request. No refunds or exchanges.



	Name	No. - Type	
	SINGLE BRACKET Ø 12 mm Techno 12		
	rod Ø 12 mm	23102 - antico	(brass)
	stand 50 mm	33102 - satin	(brass)
	L = 40, 80 mm	83102 - inox	(stainless steel)
	DOUBLE BRACKET Ø 12/12 mm Techno 12		
	rod Ø 12/12 mm	23124 - antico	(brass)
	stand 50 mm	33124 - satin	(brass)
	L = 40, 80 mm	83124 - inox	(stainless steel)
	S = 80 mm		
	INTERNAL BRACKET Ø 12 mm Techno 12		
	rod Ø 12 mm	23067 - antico	(brass)
	stand 26 mm	33067 - satin	(brass)
		83067 - inox	(stainless steel)
	END-PIECE CYLINDER Ø 12 mm Techno 12		
	for rod Ø 12 mm	23110 - antico	(brass)
	D = 20 mm	33110 - satin	(brass)
		83110 - inox	(stainless steel)
	END-PIECE TRAPEZE Ø 12 mm Techno 12		
	for rod Ø 12 mm	20127 - antico	(brass)
	D = 40 mm	30127 - satin	(brass)
		80127 - inox	(stainless steel)
	END-PIECE RADIATOR Ø 12 mm Techno 12		
	for rod Ø 12 mm	20128 - antico	(brass)
	D = 40 mm	30128 - satin	(brass)
		80128 - inox	(stainless steel)
	END-PIECE SEMI-SPHERE Ø 12 mm Techno 12		
	for rod Ø 12 mm	20123 - antico	(brass)
	D = 35 mm	30123 - satin	(brass)
	Semi-sphere diameter 30 mm	80123 - inox	(stainless steel)

L - distance of the first rod from the wall / ceiling, S - distance between rods



Name	No. - Type		
ON REQUEST 	END-PIECE SEMI-SPHERE DECORATIVE <i>Crystallized Elements</i> Ø 12 mm*		
	for rod Ø 12 mm	21123 - antico	(brass)
	D = 31 mm	31123 - satin	(brass)
	Semi-sphere diameter 30 mm	81123 - inox	(stainless steel)

	END-PIECE SPHERE Ø 12 mm TECHNO 12		
	for rod Ø 12 mm	20122 - antico	(brass)
	D = 40 mm	30122 - satin	(brass)
	Sphere diameter 30 mm	80122 - inox	(stainless steel)

ON REQUEST 	END-PIECE SPHERE DECORATIVE <i>Crystallized Elements</i> Ø 12 mm*		
	for rod Ø 12 mm	21122 - antico	(brass)
	D = 39 mm	31122 - satin	(brass)
	Sphere diameter 30 mm	81122 - inox	(stainless steel)

	RING TECHNO 12		
	for rod Ø 12 mm	23511 - antico	(brass)
	Packed in 10 pcs.	33511 - satin	(brass)
		83511 - inox	(stainless steel)
	Ø 25/21 mm		

	SMALL BUCKLE FOR RING		
	Packed in 50 pcs.	51506 - white	
	plastic		
	For ring TECHNO 12		
	Hitch diameter Ø 5 mm		

	SMALL HOOK FOR WHEEL		
	Packed in 50 pcs.	51506/Z - white	
	plastic		
	For ring TECHNO 12		
	Hitch diameter Ø 5 mm		


	SNAIL HOOK		
	Packed in 50 pcs.	51508 - white	
	plastic		

* - Details on request. No refunds or exchanges.



	Name	No. - Type	
<p>ON REQUEST</p> 	ROD JOINT 90° FIXED Ø 12 mm*		
	rod Ø 12 mm	20540 - antico	(brass)
		30540 - satin	(brass)
		80540 - inox	(stainless steel)
Different joint angle on request - price +50%.			
<p>ON REQUEST</p> 	ROD JOINT 135° FIXED Ø 12 mm*		
	rod Ø 12 mm	20543 - antico	(brass)
		30543 - satin	(brass)
		80543 - inox	(stainless steel)
Different joint angle on request - price +50%.			
<p>ON REQUEST</p> 	ROD JOINT ADJUSTABLE Ø 12 mm*		
	rod Ø 12 mm	20540/N - antico	(brass)
		30540/N - satin	(brass)
		80540/N - inox	(stainless steel)
	ROD JOINT Ø 12 mm		
	rod Ø 12 mm	50521 - plastic	
	ROD Ø 12 mm x 0,7 mm x 1,0 m		
	rod Ø 12 mm	20521 - antico	(brass)
		30521 - satin	(brass)
	L = 125, 150, 175, 200 cm	80521 - inox	(stainless steel)
Maximum distance between handles is 130 cm. It is possible to strengthen the rod (price +20%).			
<p>ON REQUEST</p> 	ROD BENT Ø 12 mm x 0,7 mm x 1,0 m*		
	rod Ø 12 mm	20521 - antico	(brass)
	Price is for rods. Min. bending radius - 40 cm. Bends are individually priced according to the provided template or H and C dimensions, if the arc is along the radius of the circle. Additional transport costs of bent rods.	30521 - satin	(brass)
		80521 - inox	(stainless steel)
<p>ON REQUEST</p> 	POINT BENDING*		
	rod Ø 12 mm		
	Additional transport costs of bent rods. Price of the bending service. Price of rod should be added.		
	Min. bending radius - 10 cm.		
It is possible to strengthen the rod (price +20%), which extends the spacing of the brackets by 40 cm.			


* - Details on request. No refunds or exchanges.



Name	No. - Type
LARGE CLOSED HOOK Ø 12 mm	
 for rod Ø 12 mm	10300 - poler (brass)
	20300 - antico (brass)
	30300 - satin (brass)
LARGE OPEN HOOK Ø 12 mm	
 for rod Ø 12 mm	10301 - poler (brass)
can be used for railings	20301 - antico (brass)
	30301 - satin (brass)
SMALL CLOSED HOOK Ø 12 mm	
 for rod Ø 12 mm	10310 - poler (brass)
	20310 - antico (brass)
	30310 - satin (brass)
	80310 - inox (stainless steel)
Colors white, black - on individual order (50% surcharge).*	
SMALL OPEN HOOK Ø 12 mm	
 for rod Ø 12 mm	10311 - poler (brass)
can be used for railings	20311 - antico (brass)
	30311 - satin (brass)
	80311 - inox (stainless steel)
GO-THROUGH END-PIECE LARGE	
 for rod Ø 12 mm	10314 - poler (brass)
L = 45 mm	20314 - antico (brass)
can be used for railings	30314 - satin (brass)
	80314 - inox (stainless steel)
Colors white, black and inox poler - on individual order (50% surcharge).*	
GO-THROUGH END-PIECE MEDIUM	
 for rod Ø 12 mm	10313 - poler (brass)
L = 30 mm	20313 - antico (brass)
can be used for railings	30313 - satin (brass)
	80313 - inox (stainless steel)
Colors white, black and inox poler - on individual order (50% surcharge).*	
GO-THROUGH END-PIECE SMALL	
 for rod Ø 12 mm	10316 - poler (brass)
L = 15 mm	20316 - antico (brass)
can be used for railings or stairs	30316 - satin (brass)
	80316 - inox (stainless steel)
Colors white, black and inox poler - on individual order (50% surcharge).*	

* - Details on request. No refunds or exchanges.

L - distance of the first rod from the wall / ceiling



		Name	No. - Type	
	STANDARD	END-PIECE CYLINDER Ø 12 mm Techno 12		
		for rod Ø 12 mm	23110 - antico	(brass)
			33110 - satin	(brass)
			83110 - inox	(stainless steel)
Colors white, black and inox poler - on individual order (50% surcharge).*				

	STANDARD	SMALL DECORATIVE END-PIECE Ø 12 mm Classic		
		for rod Ø 12 mm	10121 - poler	(brass)
			20121 - antico	(brass)

	STANDARD	END-PIECE BALL		
		for rod Ø 12 mm	10124 - poler	(brass)
		Ball diameter 20 mm	20124 - antico	(brass)
			30124 - satin	(brass)
		80124 - inox	(stainless steel)	
Colors white, black and inox poler - on individual order (50% surcharge).*				

		SMALL END-PIECE SEMI-SPHERE Ø 12 mm		
		for rod Ø 12 mm	10123 - poler	(brass)
		Semi-sphere diameter 30 mm	20123 - antico	(brass)
			30123 - satin	(brass)
		80123 - inox	(stainless steel)	

		SMALL END-PIECE SPHERE Ø 12 mm		
		for rod Ø 12 mm	10122 - poler	(brass)
		Sphere diameter 30 mm	20122 - antico	(brass)
			30122 - satin	(brass)
		80122 - inox	(stainless steel)	

		END-PIECE TRAPEZE Ø 12 mm Techno 12		
		for rod Ø 12 mm	20127 - antico	(brass)
			30127 - satin	(brass)
			80127 - inox	(stainless steel)

		END-PIECE RADIATOR Ø 12 mm Techno 12		
		for rod Ø 12 mm	20128 - antico	(brass)
			30128 - satin	(brass)
			80128 - inox	(stainless steel)

* - Details on request. No refunds or exchanges.

Name No. - Type

RING CLIP FOR WHEEL - <i>Classic</i>			
	Packed in 10 pcs.	10500 - poler	(brass)
		20500 - antico	(brass)
		30500 - satin	(brass)

RING CLIP FOR WHEEL - ART DECO			
	Packed in 10 pcs.	24500 - antico	(brass)
		34500 - satin	(brass)

RING CLIP FOR WHEEL - TECHNO 20			
	Packed in 10 pcs.	22500 - antico	(brass)
		32500 - satin	(brass)
		82500 - inox	(stainless steel)


SMALL BUCKLE FOR RING			
	Packed in 50 pcs.	51506 - white	
	plastic		
	For ring TECHNO 12		
	Hitch diameter Ø 5 mm		

SMALL HOOK FOR WHEEL			
	Packed in 50 pcs.	51506/Z - white	
	plastic		
	For ring TECHNO 12		
	Hitch diameter Ø 5 mm		

SNAIL HOOK			
	Packed in 50 pcs.	51508 - white	
	plastic		

ON REQUEST		ROD JOINT 90° FIXED*	
	rod Ø 12 mm	10540 - poler	(brass)
	Different joint angle on request - price +50%.	20540 - antico	(brass)
		30540 - satin	(brass)
		80540 - inox	(stainless steel)

* - Details on request. No refunds or exchanges.



	Name	No. - Type	
<p>ON REQUEST</p> 	ROD JOINT 135° FIXED*		
	rod Ø 12 mm	10543 - poler	(brass)
	Different joint angle on request - price +50%.	20543 - antico	(brass)
		30543 - satin	(brass)
		80543 - inox	(stainless steel)
<p>ON REQUEST</p> 	ROD JOINT ADJUSTABLE*		
	rod Ø 12 mm	10540/N - poler	(brass)
		20540/N - antico	(brass)
		30540/N - satin	(brass)
		80540/N - inox	(stainless steel)
	ROD JOINT		
	rod Ø 12 mm	50521	plastic
	SMALL RING <i>Classic</i>		
	Ø 28/20 mm	10512 - poler	(brass)
		20512 - antico	(brass)
		30512 - satin	(brass)
	RING Techno 12		
	Ø 25/21 mm	23511 - antico	(brass)
		33511 - satin	(brass)
		83511 - inox	(stainless steel)
	ROD Ø 12 mm x 0,7 mm x 1,0 m		
	rod Ø 12 mm	10521 - poler	(brass)
	L = 125, 150, 175, 200 cm	20521 - antico	(brass)
	Maximum distance between handles is 130 cm. It is possible to strengthen the rod (price +20%).	30521 - satin	(brass)
		80521 - inox	(stainless steel)
Colors white, black and inox poler - on individual order (50% surcharge).*			
<p>ON REQUEST</p> 	ROD BENT Ø 12 mm x 0,7 mm x 1,0 m*		
	rod Ø 12 mm	10521 - poler	(brass)
	Price is for rod only. Bends are individually priced according to the provided template or H and C dimensions, if the arc is along the radius of the circle.	20521 - antico	(brass)
		30521 - satin	(brass)
		80521 - inox	(stainless steel)
<p>ON REQUEST</p> 	POINT BENDING*		
	rod Ø 12 mm		
	The price of rod is added to the bending service.		

* - Details on request. No refunds or exchanges.