

08




rok założenia 1934
zegar



Exclusive covers

*Roller blind with
a curtain rail*



black

white

inox

satin



ANGLE
CONNECT



SHUTTERS
INSTALL.



WAVE
SYSTEM



STRING
SYSTEM



ELECTRIC
CURTAIN RAIL



RAILS



ON REQUEST

www.karnisz.pl

A lot of windows are decorated with both Roman and roller blinds. Trying to respond to the needs of the market, we are introducing a new model of the cover. The offered masking frames can be used to cover a Roman or roll-up roller blind, they can be mounted to the ceiling or to the wall on universal brackets. It significantly increases the visual value and makes the decoration complete. Additionally, the profiles of the cover can be used to hang curtains.

Modern 60, Modern 80, P61 and P101 covers

Covers made of a profile **Modern 60**, **Modern 80**, **P61** and **P101** are precisely angled and firmly connected. They are perfect for covering a roller blind or a Roman blind.

Proposed uses:

- as CURTAIN RAIL for hanging the fabric on the profile **Modern 60** and **80** as well as for masking Roman or roller blinds
- as COVER (MASKING FRAME) for Roman or roller blinds, and for RAILS, on which the **P61** and **P101** fabric is hung
- as a wall or ceiling cover for **ZE** electric curtain rails. **Modern 60**, **Modern 80** as well as **P61** and **P101** profiles.

The price of the cover includes profiles cut at an angle of 45 degrees, angular connectors, universal wall brackets ($L = 100\text{mm}$ or 150 mm) and side ends, cut at an angle of 45° . Brackets can be shortened. As standard, the cover is not equipped with fabric hangers.



Can be joined at an angle of 90° in external and internal angles.

Behind the cover, we can mount directly under the bracket of the cover:



rail profiles with the **wave system** (**T15**, **T20**, **M25**)



ELECTRA electric curtain rails



ZEGAR rail profiles - manual



Covers are made on request. It is possible to make other shapes - several angular joints on one cover.



Roman blinds or roller blinds



rail profiles with a **string system** (see in section 16)


How to order a cover?

Wall cover

Wall covers are mounted on universal wall brackets - we mount roller blinds to them. When ordering the cover, please specify the width inside (a) and length of the universal grip (L = 100, 150, 200 mm (c)), and you will receive a properly cut set with the appropriate length of the side panels (b).

Ceiling cover

Ceiling covers are mounted on universal ceiling brackets and blinds are mounted to them. When ordering the cover, please specify the internal width (a), depth, length of the side (b) and length of the universal bracket (L = 40, 100, 150 mm (c)). Due to mounting to the ceiling, the length of the side may differ from the length of the bracket, so please provide the exact distance (b) of the distance between the cover and the wall.



P61 cover
with a roller shutter and a **Modern 30** tensioner



P101 cover
with a roller shutter and a **Modern 30** tensioner

Exclusive covers for blinds and rails – P61

The shutters are mounted on universal brackets to the wall or to the ceiling, with the lengths of 40, 100, 150 or 200 mm. **Profile P61** is only available as a cover without the possibility of hanging the fabric on it. It is designed so that it is possible to install roller or Roman blinds as well as **Techno 20** RAILS or electric curtain rails ELECTRA ZE behind it. The **P61** cover has a size of 60 mm, cut to the size of the order and joined at an angle of 90 degrees (can be ordered without the side profiles).

Basic information:

- Ordering method **8.3**
- Colors: **white, black, inox**
- Installation: wall or ceiling - universal brackets 40, 100 or 150 mm (with the possibility of cutting)
- Profile dimensions P61: 60 x 10 mm
- Included in the price: Profile **P61/Techno 20** cut to size, the side of the profile **P61**, brackets (L=40, 100, 150 mm), for the rail **Techno 20** – slides with a buckle/hook. Standard end-pieces.
- Resignation from the side panels - 30 PLN/pc., end-pieces C - price as with side panels. Please indicate in order if you do not want side panels or end-pieces.

P61 cover



Available colors: **inox** **white** **black**

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	2	3	3	3	3

P61 cover + single profile Techno 20



Available colors: **inox** **white** **black**

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	25	25	25	50	50	50

P61 cover + double profile Techno 20



Available colors: **inox** **white** **black**

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	50	50	50	100	100	100

Exclusive covers for blinds and rails – Cover P101

The shutters are mounted on universal brackets to the wall or to the ceiling, with the lengths of 40, 100, 150 or 200 mm. **Profile P101** is only available as a cover without the possibility of hanging the fabric on it. It is designed so that it is possible to install roller or Roman blinds as well as **Techno 20** RAILS or electric curtain rails ELECTRA ZE behind it. The **P101** cover has a size of 100 mm, cut to the size of the order and joined at an angle of 90 degrees (can be ordered without the side profiles).

Basic information:

- Ordering method **8.3**
- Colors: **white, black, inox, satin.**
- Installation: wall or ceiling - universal brackets 40, 100 or 150 mm (with the possibility of cutting)
- Profile dimensions P101: 100 x 20 mm
- Included in the price: Profile **P101/Techno 20** cut to size, the side of the profile **P101**, brackets (L=40, 100, 150 mm), for the rail **Techno 20** – slides with a buckle/hook. Standard end-pieces.
- Resignation from the side panels - 40 PLN/pc., end-pieces C - price as with side panels. Please indicate in order if you do not want side panels or end-pieces.

P101 cover



Available colors:

inox
white
black
satin

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	2	2	3	3	3

P101 cover + single profile Techno 20

Available colors:


inox
white
black
satin

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	50	50	50	50	50	50

P101 cover + double profile Techno 20

Available colors:


inox
white
black
satin

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	50	50	50	100	100	100

Exclusive covers for blinds and rails – **Modern 60** cover

The shutters are mounted on universal brackets to the wall or to the ceiling, with the lengths of 40, 100, 150 or 200 mm. Profile **Modern 60** can be used as a cover or as a curtain rail to hang a fabric on it. It is designed so that it is possible to install roller or Roman blinds as well as **Techno 20** RAILS or electric curtain rails ELECTRA ZE behind it. Profile **Modern 60** has a height of 60 mm, it is cut to the size indicated in the order and joined at an angle of 90 degrees (can be ordered without the side profiles).

Basic information:

- Ordering method 16.XX
- Colors: **white**, **black**, **inox**
- Installation: wall or ceiling - universal brackets 40, 100 or 150 mm (with the possibility of cutting)
- Profile dimensions **M60**: 60 x 16 mm
- Included in the price: Profile **M60/Techno 20** cut to size, the side of the profile **M60**, brackets (L=40, 100, 150 mm), for the rail **Techno 20** – slides with a buckle/hook. Standard end-pieces.
- Resignation from the side panels - 30 PLN/pc., end-pieces C - price as with side panels. Please indicate in order if you do not want side panels or end-pieces.

Modern 60 cover



Available colors:

inox

white

black

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	2	2	3	3	3

Modern 60 cover + single profile **Techno 20**



Available colors:

inox

white

black

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	50	50	50	50	50	50

Modern 60 cover + double profile **Techno 20**



Available colors:

inox

white

black

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	50	50	50	100	100	100

Exclusive covers for blinds and rails – **Modern 80** cover

The shutters are mounted on universal brackets to the wall or to the ceiling, with the lengths of 40, 100 or 150 mm. Profile **Modern 80** can be used as a cover or as a curtain rail to hang a fabric on it. It is designed so that it is possible to install roller or Roman blinds as well as **Techno 20** RAILS or electric curtain rails ELECTRA ZE behind it. Profile **Modern 80** has a height of 80 mm, it is cut to the size indicated in the order and joined at an angle of 90 degrees (can be ordered without the side profiles).

Basic information:

- Ordering method 16.XX
- Colors: **white**, **black**, **inox**
- Installation: wall or ceiling - universal brackets 40, 100 or 150 mm (with the possibility of cutting)
- Profile dimensions **M80**: 80 x 16 mm
- Included in the price: Profile **M80/Techno 20** cut to size, the side of the profile **M80**, brackets (L=40, 100, 150 mm), for the rail **Techno 20** – slides with a buckle/hook. Standard end-pieces.
- Resignation from the side panels - 50 PLN/pc., end-pieces C - 40 PLN/pc. Please indicate in order if you do not want side panels or end-pieces.



Modern 80 cover

inox

white

black

Available colors:

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	2	2	3	3	3

Modern 80 cover + single profile **Techno 20**



Available colors:

inox

white

black

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	50	50	50	50	50	50

Modern 80 cover + double profile **Techno 20**



Available colors:

inox

white

black

Length (cm)	do 150	151-200	201-250	251-300	301-350	351-400
Brackets	2	3	3	3	3	4
Hook + buckle	50	50	50	100	100	100

Installation of the Roman blind and **Techno 20** profile to the universal bracket **P61**, **P101**, **M60** and **M80**



STEP 1

The basis for the installation of the Roman blind or the **Techno 20** profile is the universal bracket (wall or ceiling) for profile **P61**, **P101**, **M60** or **M80**.

It is equipped with:

- for **Techno 20** profile - with a plastic rotary clip for rails,
- for the Roman roller blind with a plate with a screw, with which we mount the handle received with the roller blind.



STEP 2

Using the screw with the plate, we mount the brackets of the Roman blind to the universal bracket at the same distance from the end.



STEP 3

After attaching the brackets to the wall / ceiling, we install the **Techno 20** profiles for rotating catches, or a roller blind to the roller blind brackets.

TIPS:

Make sure that the end brackets are mounted narrower than the roller blind, so that the roller blind can be mounted.

ATTENTION:

When ordering, please indicate what will be mounted on the universal bracket - profiles, roller blind, Roman roller blind, etc.

Installation of the roller blind to the universal bracket **P61**, **P101**, **M60** and **M80**



STEP 1

The basis for the installation of the roller blind is the universal bracket (wall or ceiling) for profile **P61**, **P101**, **M60** or **M80**. It is equipped with 2 plates with a screw, with which we mount the bracket, received with the shutter.



STEP 2

Using the screw with the plate, mount the brackets of the roller shutter to the universal bracket at the same distance from the end. After attaching the brackets to the wall / ceiling, install the **Techno 20** profiles for rotating catches, or a roller blind for roller blind brackets.

TIPS:

It should be noted that brackets were mounted with a spacing appropriate to the length of the blind.

ATTENTION:

When ordering, please indicate what will be mounted on the universal bracket - profiles, roller blind, Roman roller blind, etc.

Shutter tensioners

Modern 30 profile can be applied as a tensioner for roller and Roman blinds.



Rod Ø12 mm with end-pieces can also be used as a roller shutter weight



Fixing Roman blinds to **Techno 20** and **Modern 40/60** profiles

A large number of window decorations with Roman blinds means that there was a need to connect the curtain rod with the roller blind. To meet the expectations, we have created a special system that allows the installation of roller shutters to the rails **Techno 20** and **Modern 40** or **Modern 60**.

This handle allows you to mount the Roman roller shutter mechanism to **Techno 20** rails and **Modern 40**, **Modern 60** profiles. It can be used both in a single curtain rod (gives the roller a more elegant look) and in a double curtain rod, where we also use, for example, curtains. This solution allows us to mount several roller blinds side by side in any place on the rail, as well as very easily, quickly and cost-free to change the decoration from a roller blind to a classic curtain attached to **Techno 20** rails as well as **Modern 40** or **Modern 60**. We install the curtain to the curtain rail by inserting the bracket for profile, locking it in the right place, and then screwing any Roman blind handle.



Advantages of attaching roller shutters to the curtain rods:

- the blind looks more elegant
- easy to change the decoration from the roller blind to, for example, a traditional curtain (we remove the roller blind, we put on the curtain)
- we can install more than one roller shutter on one rail
- installation of the blind in any place
- any displacement of the roller shutter from the wall when mounting to a double curtain rail
- no need to drill additional holes for the roller shutter
- we can hang the curtain rail lower than with the separate installation of the roller shutter and curtain rail

Fitting elements



Roman blind bracket for rails

50530 (aluminium)

Roman blind handle for profile **Modern 40**

50531 (aluminium)

The method of mounting Roman blinds to rails from lines **TechNo 20 and 30**, profiles **Modern 40, 60** and **ART DECO**



STEP 1

For rail, we insert the bracket for mounting the roller shutter into the rails. We set it in the right place, tightening with hexagonal screws, and then screw the Roman blind ceiling bracket to this bracket.



STEP 2

We mount the Roman roller blind cassette to the mounted bracket.



STEP 3

The material must be mounted on the cassette.

Customized **Techno** and **Modern** brackets for fixing Roman blinds



Techno or **Modern** bracket is equipped with a screw that enables the mounting of the Roman blind handle. On this screw, located under the handle, we mount the handle of the Roman blind.



The blind mechanism is attached to the mounted handles of the Roman blind.



Attach the fabric to the roller shutter mechanism with Velcro.

We will customize each **Techno 12, 16, 20, 30** and **Modern 40, 60, 80** bracket at your request, for hanging the Roman roller blind mechanism. In the standard bracket, we will make a threaded hole at any distance from the wall to which we screw the standard roller shutter bracket. The cost of reworking a standard bracket is PLN 5 gross (the price is suggested for the customer). Due to the fact that these brackets are made to your special order, they cannot be returned or exchanged.

Please write on the order, e.g. **22102 - 120 installation of blinds 40 mm** - which will mean: I am ordering antico **Techno 20** single bracket 120 mm long for rod with a hole for the roller shutter 40 mm from the wall. Similarly, we can order a handle, e.g. a double bracket.

We can also make a handle to which only the roller shutter will be attached. This bracket has a **Techno** or **Modern** base, a boom from a 12 or 20 mm rod, with a threaded hole for mounting the roller shutter. Standard handle lengths are 40, 80, 120, 160 and 200 mm.

Brackets for roller shutters



black matt plain



white plain



inox plain



Roller blind
with a cover,
bracket **inox** plain

Name	No. - Type	
PLAIN SHUTTER BRACKET	40600 - black matt	(aluminium)
	60600 - white	(aluminium)
	80600 - inox	(aluminium)

SHUTTER COVER x 1m		
	40602 - black matt	(aluminium)
	60602 - white	(aluminium)
	80602 - inox	(aluminium)



Modern SO cover with a roller blind



Modern SO cover with a Roman blind

In the **Modern SO** line it is possible to fill the profile with colors according to the attached template.



**SUGGESTIONS FOR FILLING
OF THE **Modern SO** PROFILE
WITH ECO LEATHER**