


09



rok założenia 1934
zegar

Modern 30 and 25 line



POINT
BENDING

ARC
BENDING

ANGLE
CONNECT

WAVE
SYSTEM

JAPANESE
WALL

STRING
SYSTEM

SHUTTERS
INSTALL
(M25 ONLY)

SHUTTERS
TENSIONER
(M30 ONLY)



inox



white



black

Modern 30 line

aluminium



POLISH
PRODUCT



POINT
BENDING

Modern 30 profiles can be spot bent with a radius of 30 cm horizontally



ARC BENDING

Modern 30 profiles be bent horizontally with a radius of min. 300 cm



ŚCIANA
JAPONSKA

For **Modern 30** profiles we can use the **Japanese wall** system - details in section no. 16



WAVE SYSTEM

For profile **Modern 30** we can use the **wave system** - details in section no. 16



SHUTTERS
TENSIONER

Modern 30 profile can be used as a tensioner for roller and Roman blinds

Modern 30 are curtain rails with a modern, simple shape, made of aluminum. These are rail profiles that let you to move the fabrics along the entire length of the curtain rail, regardless of its length. We can use the **wave system** for the **Modern 30** profile. The curtain rail can be mounted on single and double wall brackets and on the ceiling bracket, directly to the ceiling. The **Modern 30** profile is adapted to be used as a tensioner for roller and Roman roller shutters.



black



white



inox

Modern 25 line

aluminium



For **Modern 25** profiles can be spot bent with a radius of 30 cm horizontally

POINT BENDING



For **Modern 25** profiles be bent horizontally with a radius of min. 300 cm

ARC BENDING



For **Modern 25** profiles we have the adjustable angle connectors.

ANGLE CONNECT



For **Modern 25** profiles we can install Roman blinds mechanisms - details in section no. 8

SHUTTERS INSTALL



For profile **Modern 25** we can use the **wave system** - details in section no. 16

WAVE SYSTEM



For profile **Modern 25** we can use a **string system** up to a length of 600 cm with a tensioner. Exposing the fabric - with a curtain or to one side. Details in section no. 16

STRING SYSTEM



For **Modern 25** profiles we can use the **Japanese wall system** - details in section no. 16

ŚCIANA JAPANEŃSKA

Modern 25 are curtain rails with a modern, simple shape, made of aluminum. These are rail profiles that allow the fabrics to be moved under the brackets along the entire length of the curtain rod. A **string system** can be mounted to the **Modern 25** profile, which makes it possible to control the fabric from one place, very useful for people with disabilities.

We can use the **wave system** in the **Modern 25** curtain rail. The curtain rail can be mounted on both wall brackets (single and double) as well as on ceiling bracket without any gap between the rail and the ceiling. The variety of hooks and buckles allows you to mount all kinds of decorations, including flexes.




black





white



inox




Name		No. - Type		
	SINGLE BRACKET Modern 30			
	Base 40x60 mm	457202 - black	(aluminium)	
	L = 80, 120, 160 mm	657202 - white	(aluminium)	
		857202 - inox	(aluminium)	
	DOUBLE BRACKET Modern 30			
	Base 40x60 mm	457224 - black	(aluminium)	
	L = 80, 120 mm	657224 - white	(aluminium)	
	S = 80 mm	857224 - inox	(aluminium)	
	DIRECT HANDLE ASSEMBLY FOR CEILING			
		450527 - black	(aluminium)	
		650527 - white	(aluminium)	
		850527 - inox	(aluminium)	
	STANDARD	C END-PIECE Modern 30		
		D = 10 mm	457210 - black	(aluminium)
			657210 - white	(aluminium)
			857210 - inox	(aluminium)
	CONNECTOR Modern 30			
		857514 - inox	(aluminium)	
	PROFILE Modern 30*			
	Profile 30x13 mm	457524 - black	(aluminium)	
	L = 150, 175, 200, 250, 300*, 350*, 400*, 600* mm	657524 - white	(aluminium)	
		857524 - inox	(aluminium)	
	* additional transport costs.	Maximum distance between brackets is 200 cm.		
	ON REQUEST	PROFILE BENT Modern 30		
		Minimum bend radius - 300 cm.	457524 - black	(aluminium)
		Bends are individually priced according to the provided template or H and C dimensions, if the arc is along the radius of the circle.	657524 - white	(aluminium)
		Horizontal bending.	857524 - inox	(aluminium)
		Price of the profile with the service.		
	Additional transport costs.			

* - Details on request. No refunds or exchanges.

* - **M30** profile can be used as a tensioner for roller and Roman blinds

L - distance of the first profile from the wall / ceiling, **S** - distance between profiles/rails



Name	No. - Type
<p>ON REQUEST</p>	<p>POINT BENDING OF THE PROFILE Modern 30</p> <p>Minimum bend radius - 30 cm.</p> <p>Price of bending service. Profile price should be added to the service.</p> <p>Horizontal bending.</p> <p>Additional transport costs.</p> <p>On one profile Modern 30 we make a maximum of 2 bends.</p>

	<p>BUCKLE WITH SLIDE</p>
	<p>Packed in 50 pcs. 51507 - white</p>
	<p>plastic 52507 - black</p>

	<p>HOOK WITH SLIDE FOR RAIL</p>
	<p>Packed in 50 pcs. 51507/Z - white</p>
	<p>plastic 52507/Z - black</p>
	<p>* For string systems, we recommend a closed hook with a slide and a snail hook.</p> <p>This makes it easier to remove the fabric without disassembling the string system.</p>

SLIDE H1 and SNAIL HOOK - see p. 5.4, items 2 and 3.



WAVE SYSTEM

more information in section no. 16

COMPLETE WAVE SYSTEM WITH ROUND SLIDE 60 mm and 80 mm

	60 Packed in 25 m.	53651/60
	80 Packed in 25 m.	53651/80
	60 Packed in 50 m.	53652/60
	80 Packed in 50 m.	53652/80
	60 Packed in 100 m.	53653/60
	80 Packed in 100 m.	53653/80


Complex wave systems packed in 25m are available (additional 10% to the price).



COMPLETE WAVE SYSTEM WITH H1 SLIDE 60 mm and 80 mm

	60 Packed in 25 m.	53654/60
	80 Packed in 25 m.	53654/80
	60 Packed in 50 m.	53655/60
	80 Packed in 50 m.	53655/80
	60 Packed in 100 m.	53656/60
	80 Packed in 100 m.	53656/80

Complex wave systems packed in 25m are available (no additional fee).


* - Details on request. No refunds or exchanges.



	Name	No. - Type	
	SINGLE BRACKET Modern 25		
	Base 40x60 mm	455202 - black	(aluminium)
	L = 80, 120, 160 mm	655202 - white	(aluminium)
		855202 - inox	(aluminium)
	DOUBLE BRACKET Modern 25		
	Base 40x60 mm	455224 - black	(aluminium)
	L = 80, 120 mm	655224 - white	(aluminium)
	S = 80 mm	855224 - inox	(aluminium)
	DIRECT HANDLE ASSEMBLY FOR CEILING Modern 25		
	packed in 10 szt.	456526 - black	(plastic)
	plastic	656526 - white	(plastic)
		856526 - inox	(plastic)
	PROFILE CONNECTOR Modern 25		
	L = 70 mm	855514 - inox	(aluminium)
	C END-PIECE Modern 25		
	D = 10 mm	455210 - black	(aluminium)
		655210 - white	(aluminium)
		855210 - inox	(aluminium)
	END-PIECE RECTANGLE Modern 25		
	D = 45 mm	455216 - black	(aluminium)
		655216 - white	(aluminium)
		855216 - inox	(aluminium)
	STRING SYSTEM WITH Modern 25 TENSIONER*		
		455884 - black	(aluminium)
		655884 - white	(aluminium)
		855884 - inox	(aluminium)
	More information in section no. 16		

* - when ordering a string system, we provide: length of the curtain rail, sliding (left to right, right to left or curtain), position of the string (right or left) and length of the string overhang above 160 cm


L - distance of the first profile from the wall / ceiling, S - distance between profiles/rails



Name	No. - Type	
	PROFILE Modern 25	
	Profile 20x25 mm	455524 - black (aluminium)
	L = 150, 175, 200, 250, 300*, 350*, 400*, 600* mm	655524 - white (aluminium)
		855524 - inox (aluminium)
* additional transport costs.	Maximum distance between brackets is 180 cm.	

 ON REQUEST	PROFILE BENT Modern 25	
	Minimum bend radius - 300 cm.	455524 - black (aluminium)
	Bends are individually priced according to the provided template or H and C dimensions, if the arc is along the radius of the circle. Horizontal bending.	655524 - white (aluminium)
		855524 - inox (aluminium)
Price of the profile with the service.		
Additional transport costs.		

 ON REQUEST	POINT BENDING OF THE PROFILE Modern 25	
	Minimum bend radius - 30 cm.	
	Horizontal bending. Price of bending service. Profile price should be added to the service.	
	Additional transport costs.	
On one profile Modern 25 we make a maximum of 2 bends.		



WAVE SYSTEM

more information in section no. 16

COMPLETE WAVE SYSTEM WITH ROUND SLIDE 60 mm and 80 mm

	60 Packed in 25 m.	53651/60
	80 Packed in 25 m.	53651/80
	60 Packed in 50 m.	53652/60
	80 Packed in 50 m.	53652/80
	60 Packed in 100 m.	53653/60
	80 Packed in 100 m.	53653/80


Complex wave systems packed in 25m are available (additional 10% to the price).

COMPLETE WAVE SYSTEM WITH H1 SLIDE 60 mm and 80 mm

	60 Packed in 25 m.	53654/60
	80 Packed in 25 m.	53654/80
	60 Packed in 50 m.	53655/60
	80 Packed in 50 m.	53655/80
	60 Packed in 100 m.	53656/60
	80 Packed in 100 m.	53656/80

Complex wave systems packed in 25m are available (no additional fee).

* - Details on request. No refunds or exchanges.



STRING SYSTEMS

more information in section no. 16

SINGLE CURTAIN RAIL **Modern 25** rail with a string system with an aluminum tensioner

Length (cm)	150	175	200	250	300	350	400	450	600
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----

The standard length of the steering string is 150 cm. Different length - please indicate in the order.

DOUBLE CURTAIN RAIL **Modern 25** rail / **Modern 25** rail with a string system with an aluminum tensioner

Length (cm)	150	175	200	250	300	350	400	450	600
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----

In a double curtain rail, the string system is priced on one rail.

The standard length of the steering string is 150 cm. Different length - please indicate in the order.

See also:

- String system for **Techno 20** - p. 16.11
- String system for **Techno 30** - p. 16.8
- String system for **ZS** - section No. 16